



BECO Bearings



CHALLENGE THE HEAT
**Solutions for Extreme
Temperatures**

High-Temp Selection: Compact Catalog 2026.

Guaranteed performance up to +450°C



BHTS 2RS C3 VT 180°

-30° to +180°C



BHTS 2RS C4 VT 200°

-30° to +200°C



BHTS ZZ C4 200°

-30° to +200°C



UC BHTS ZZ C4 200°C

-30° to +200°C



BHTS 2RS C4 VT 220°

-40° to +220°C



BHTS ZZ C4 220°-250°

-40° to +220°C



BHTS 2RS VT 250-280°

-40° to +250°C



BHTS ZZ 280°

-40° to +280°C



BHTS ZZ 280°C MICRO

-40° to +280°C



UC BHTS ZZ 280°C

-40° to +280°C



BHTS 330°

-20° to +330°C



BHTS ZZ GR CG 350°

-50° to +350°C



**UC BHTS ZZ
GR CG 350°C**

-50° to +350°C



**BHTS ZZ 350°C
BECO PLUS**

-10° to +350°C



**UC BHTS ZZ 350°C
BECO PLUS**

-50° to +350°C



BHTS FB 400°C

-40° to +400°C



**BHTS FB 450°C
BECO PLUS**

-50° to +450°C



**SEARCH BY
TEMPERATURE**





INQUIRY FAST



DELIVERY FAST



BeCo srl
Via Cascina Colombaro 49 12100 Cuneo (IT)
Tel:+39 0171 66883
VAT(P.I.) 02663320048 office@becoitalia.com

